



**McConachie Architectural Design Guidelines**  
Stage 5 & 6 – RSL – zoned lots

**Updated: February 8, 2017**

**Directory**

<p><b>Developer</b></p>	<p>Walton Development &amp; Management LP</p> <p><b>Kendra Milne</b>  Vice President, Marketing  22<sup>nd</sup> Floor, 605-5<sup>th</sup> Avenue SW  Calgary, AB T2P 3H5</p>	<p>Phone: 403-750-3336  Fax: 403-750-3333  E-mail: kmilne@walton.com</p>
<p><b>Architectural Consultant</b></p>	<p>Summa Consulting Ltd.</p> <p><b>Carol Hume</b>  2209 7<sup>th</sup> Ave. NW  Calgary, AB T2N 0Z9</p>	<p>Phone/Fax: 403-283-9999  Email: chume@summaconsulting.ca</p>
<p><b>Surveyor</b></p>	<p>Stantec Geomatics  10160 112 Street  Edmonton, AB  T5K 2L6</p> <p>Attn: <b>Builder Services</b></p>	<p>Phone: 780-917-7000  Fax: 780-917-7289</p>
<p><b>Engineer</b></p>	<p>Stantec Consulting Ltd.  10160 112 Street  Edmonton, AB  T5K 2L6</p> <p>Contact:  <b>Randall Sonnenberg</b></p>	<p>Phone: 780- 917-7000  Fax: 780- 917-7179</p>

## **1. Introduction**

The information contained herein is provided as a guide to be used by builders/purchasers only. Builders/Purchasers shall be fully and solely responsible for all designs, which follow these guidelines and for the conformance to the appropriate building codes. These guidelines may be altered, amended or varied by the developer in its sole and absolute discretion.

### **1.1 Architectural Objective**

The objective of the following guidelines and restrictions is to ensure that the quality and integrity of the community is maintained, to the extent of creating a high level of visual appearance and thereby protecting future property values. House plans will be reviewed by the appointed Architectural Design Consultant (ADC) as appointed by the developer in terms of the adherence to the architectural guidelines as detailed in this document. The appointed ADC may require certain modifications to house plans, elevations and/or specifications where it is felt modifications are required to take advantage of unique lot characteristics or to conform to the overall objectives of the guidelines and the development.

Any RSL zoned lots within this sub-division shall not be developed or used for anything other than single-family residential purposes.

### **1.2 Architectural Concept**

Each unit should predominately attempt to integrate into the overall look of the area. It is very important that the relative building heights, width massing and style of each unit to compliment its neighbour and the “look” of the subdivision. The objective is to provide the greatest possible latitude in exterior style and finish to permit the homeowner to own the home of their choice. The architectural guidelines are designed to provide visual control for siting & colour, and to obtain the best possible streetscape appearance. Emphasis will be concentrated on trying to create a strong curb appeal to each home through attention to detail on the front elevation as well as side elevations on corner lots.

## **2. Agreement**

Every builder/purchaser undertakes to be bound by these guidelines and agrees that these guidelines form an agreement between builder/purchaser and developer as detailed in these guidelines.

The enforcement, revision, variance, and interpretation of these guidelines shall be determined absolutely by the developer.

Individual concerns will be adjudicated by the developer and the final decision of the developer will be final.

The builder/purchaser agrees to start construction on the lot within 12 months of the date of purchase of the lot.

**3. The developer’s Architectural Design Consultant (ADC)**

The developer has appointed Summa Consulting Ltd. as the Architectural Design Consultant (ADC) who will review all home plans and approve, reject or suggest modifications thereto. All builders are required to email a full application package to the ADC for approval before applying for development or building permits or booking stake outs.

**4. Design Guideline**

The objective of these architectural guidelines is to achieve a high standard of visual appeal for the immediate and long-term benefit of the homeowner.

**4.1 House Design**

**Minimum house sizes**

Minimum house sizes are established reviewed and may be amended from time to time by the developer. Standards and approvals recognize the specific size, nature and location of a site and the desire to avoid extremes. Consideration is also given to optimizing sight lines and creating acceptable size transitions between adjacent homes and areas.

The single-family residential dwelling construction upon the lot shall have the minimum above grade floor area, excluding basements & bonus rooms as follows:

SIZE (Single Family RSL Homes)	
TYPE	Sq. Ft.
Bungalow (Main floor only)	1,100
Bi-Levels (Main floor only)	1,100
1 ½ Storey	1,500
2 Storey	1,500

Massing of the pocket width is also required. The house alone width must not deviate more than 4’ from the pocket width. The combined house & garage width must not be less than 2’ of the pocket width. An offset to the garage may be required to achieve this. Pie-shaped and reverse pie shaped lots may be reviewed on a lot by lot basis. Exceptions may be permitted for showhome parade.

## **Proposed full 2 storey homes**

Proposed full 2 storey homes must incorporate the items below and be emailed to the AC for pre-approval review and acceptance if appropriate;

- Front porch detail must not be greater than 10'0" from the front of the garage wall face.
- The front door should be a maximum 18'0" from the garage wall face and visible from the street.
- Garage (non porch) side must have a minimum 6'0" upgraded side wrap added to both the garage and 2nd floor i.e. minimum 6'0" garage side masonry wrap + additional corner window (as per front windows) on the 2nd floor etc.
- The AC reserves the right to approve or not approve all proposals and/or request additional upgrading to maintain the expectations for the community.

## **4.2 Garages, Driveways & Outbuildings**

All houses must be completed with a double attached front garage with a minimum driveway width full width of garage. All garages shall be designed to complement the house and be an integral portion of the house design

Locate garages as per designated by the developer on the subdivision information.

Graveled or paved driveways are prohibited, poured in place broomed concrete must be used.

The maximum distance between the top of the overhead door and the eave line should not be more than 24" without the addition of an architectural feature such as a louver or banding detailing.

## **4.3 Repetition**

The same house plan/model shall be separated by 2 lots (XaoX) on the same side of the street and the same model will not be allowed directly across the street.

This may be altered at the discretion of the ADC if it can be shown that the two houses in question are located so as not to be visible together from any given angle. While similar house plans and elevations are inevitable it is however possible to vary the design by changing the roof lines, design, size and location of windows and doors, etc. Revised elevations will be required so that an accurate set of files can be kept for each lot.

## **4.4 Colours**

Similar colours must be separated by 2 adjacent lots (XaoX) on the same side of the street. The developer & ADC reserve the right to approve or reject any colour scheme or suggest reasonable changes in keeping with the general intent of these guidelines.

- Contrasting accent colours are required
- No adjacent homes will be permitted to have the same body & trim colours.
- Same soffit, fascia, eave colour will NOT be permitted on adjacent lots.

- Matching body & soffit/fascia/eave colour will not be allowed.
- Garage doors must be painted to be the same colour as the prominent body colour.

Intense shades, such as blue, red, yellow, and green are highly discouraged on the main body of the house. Such intense colours will be reviewed on a lot by lot basis at the discretion of the ADC.

#### 4.5 Corner Lots / High Visibility

Corner lots have greater public visibility because of a second front elevation. For a successful home design on a corner lot (or other high visibility elevation), the appropriate front elevation treatment must continue onto the flanking or rear elevation. Therefore, special attention must be paid to side and rear elevations and side yard setbacks on all corner or high visibility lots. The side or rear high profile elevations should have the same treatment, i.e. box outs, detailed battens, stone/brick, as the front elevation, as it can be even more visible than the front elevation from the street. Modifications to side and rear elevations may be required where it is felt that the objective of the development has not been achieved.

Two-storey plans will be allowed on corner lots.

No side drive garages will be allowed.

#### 4.6 Exteriors

Acceptable exterior finishes include, vinyl siding, Hardie Board, full face brick or stone, cultured stone, stone tile OR combination. No stucco permitted, no false fronts allowed.

When vinyl is the predominate finishing material on the front elevation the following is required:

- Brick or stone is mandatory on vinyl elevations.
- ALL front elevation windows require detailing i.e. battens, shutters or shadow sills. This detail is to be in a colour contrasting to the body colour.
- All window & door openings require trim detail.
- No metal corners allowed.

**Grills or muntin bars** ARE MANDATORY on all finishes (for front and flankage elevations).

**Parging** maximum height is 2' above grade on all elevations visible from the front street, includes side elevations ahead of the fence tie-back line, full length of side elevation on corner lots & rear elevations on lots backing onto the park with rear chain link fencing. On walk out lots parge line must be kept on ALL elevations.

**Retaining walls/wing walls or any retaining structures** that may be required are the full responsibility of the builder/home owner.

**Gable roof lines**, for front and flankage elevations require gable upgrading i.e. shadow board, decorative shakes, scallops etc.

**Entrance material**, on any front elevation verandas or stairs may be pre-cast or wood, if wood

only decking & stairs/risers may be pressure treated, however any trim i.e.) railings, caps & posts, lattice, must be stained, painted or pre-finished prior to final inspection.

**Entrance risers** are to be kept to a minimum. No more than four risers per set will be allowed at the entrance any further that may be required must be placed in the run of the walk. Risers must be shown on plot plan submitted for approval.

**Specific detail**, all homes are to have a minimum single sidelight at entrance OR at minimum half glass in front entrance door.

**Stone or brick** –must be a minimum of 3’ in height complete with minimum 24” return onto side elevation. The developer highly encourages the use of full height stone or brick (showhomes must use stone or brick full face of garage complete with 24” return).

**In addition to window detailing & brick, masonry or stone, one additional feature is required on high profile elevations, such as:**

- Belly band
- Decorative columns
- Ladder detail
- Railing at entrance
- Decorative shakes or scallops
- Rake head or half round window
- Bay, box or cantilevered window
- Gable shadow boards
- Two or more decorative louvers

**Specific rear elevation detail** will be required on lots back onto a park, pond, or main roadway if applicable.

#### 4.7 Roof and Chimney

**Roof pitch** must be a minimum 6:12 pitch on 2-storey models. Bungalow styles require a minimum 7:12 pitch. Porch and garage roofs will be considered at a minimum 5:12 if the roof impedes with the 2<sup>nd</sup> floor windows and will be reviewed on a lot-by-lot basis.

**Roof material** must be asphalt architectural/dimensional shingle

Mandatory Manufacturer – Malarkey

Series - Highlander CS – 30 year

Colour options – Natural Wood or Weathered Wood

**Or** Manufacturer – BP

Series – Harmony – 35 year

Colour options – Weathered Rock or Stonewood

**Or** Manufacturer – IKO

Series – Cambridge – 35 year

Colour options - Charcoal Grey or Driftwood

**Roof overhangs** must be a minimum roof 18" on all levels for most house styles or in proportion to the home where a specific architectural style is desired.

**Fascia** boards are to be minimum 8" on all models. Fascia colour to be complementary to the home's colour palette.

**Chimney's & flues** are to be finished in the same predominant finish as the house. Corbel detailing is mandatory. No more than 24" of exposed pipe to extend above the enclosure.

## 5. Landscaping and Fencing

The builder must take a \$2,000 landscaping security deposit from the homeowners (including spec/model homes), which is to be held until the property passes a landscaping inspection by the ADC. Completion of the landscaping is to be completed within one year of occupancy (weather permitting). *Refer to Landscaping Requirements document for further detail on fencing and landscaping requirements.*

### Front yard landscaping

The developer mandates that the front yard landscaped ahead of the fence tie-back line with the following requirement:

- Sod to the fence tie back line
- Minimum of one tree AND six shrubs

Minimum tree and shrub size requirements:

- 1.5" caliper if deciduous (leaf-bearing)
- 5' in height if coniferous (spruce or pine). Pyramid cedars & upright junipers will not be accepted as coniferous trees
- Shrubs must be no less than 12" in height if global variety or 12" in diameter if a spreading variety
- Plant measurements are at the time of planting.
- Caliper measurements are measured 12" up from ground cover.
- City / developer trees cannot be used as part of the landscaping requirement.
- Alternative landscaping will be considered on an individual lot basis if it can be demonstrated that the alternate plan meets the objective of the standard sod ground cover objective previously noted in these guidelines to achieve greenery in all front yards within the neighborhood.

*In order for a resident to obtain approval for landscaping varying from the architectural guidelines, the resident must contact their builder and submit a detailed sketch of the landscape plan. The builder will then send the plans to the Architectural Consultant for review (up to \$150.00 plus GST will apply). The sketch must include the following:*

1. *Legal land description: Block/Lot/Plan*
2. *All materials that will be used in the landscape – including mulch, stones etc.*

3. *Variety of tree (if any)*
4. *Variety of shrubs (if known), and identification of coniferous or deciduous*

## **Fencing**

- Individual lot fencing to be wood screen fence, as per diagram attached.
- Stain to be “Fawn” by Cloverdale Paint, solid wood stain, as reflected on the diagram.
- No chain link fencing will be allowed other than what is installed by the developer. Chain link may be required on high-profile lots at the rear.
- Fencing on common property lines must be overlap board wood screen fencing (as per diagram attached) OR chain link from the front fence tie back line to the rear of the home.

## **Lots backing onto space with developer installed chain link fencing**

- Fencing on common property lines must be overlap board wood screen fencing (as per diagram attached) OR, chain link from the front fence tie back line to the rear of the home.

From the rear of the home to the rear property line fencing must be chain link matching the colour & design of the developer chain link fencing along the rear property line.

## **6. Recreational and Commercial Vehicles & Satellite Dishes**

Commercial vehicles over one ton are not permitted in the development. Recreation vehicles and commercial vehicles of one ton capacity or less shall not be stored in the front yard or driveway of any property between the building line and the curb. If otherwise stored on site, the vehicles shall be housed in a garage or screened with plantings to reduce unattractive visibility of such vehicles from abutting streets and adjacent homes.

Satellite dishes or other electronic equipment must not be larger than one meter in diameter and must not be visible from the street. Any roof top equipment must not exceed zoning height restrictions by the City of Edmonton.

## **7. Site Design**

### **Setbacks/separation space/house location**

All setbacks will be as per building pockets as prepared by the designated surveyor.

## **8. Other Important Guidelines**

### **Signage**

All “For Sale”, builders’ and construction signs are to be in a standard format as defined by the developer.

## 9. Construction Guidelines

### Lot grading guidelines

A grading plan has been established by the developer's consulting engineer and approved by the City of Edmonton for all lots within the subdivision, unless authorized in writing by the City of Edmonton; the builder shall rough grade & the purchaser shall final grade the lot in STRICT CONFORMANCE with the grading plan.

Upon completion of the landscaping, the final rough grade approval & final lot grade certificate must be submitted to the ADC for final inspection purposes.

### Disposal of excavation dirt and other construction waste

The builder shall pile or cause to be piled excess excavation dirt and other construction waste in a specified area if so designated by the developer or its agent.

The builder shall keep excavation dirt within the confines of the lot being built on.

The builder shall forthwith remove any spillage onto a road allowance or adjacent lot.

If the builder shall fail to comply with the requirements of this paragraph, the developer may remove the dirt and waste and charge the cost to the builder.

### Maintenance

The homeowner shall be responsible for maintaining the lot and adjacent boulevards in good condition by eliminating weeds and/or mowing grass thereon.

### Charges for damage

The builder shall be responsible for all damages to any local improvements, utilities or survey installation of any nature or kind installed or provided by or on behalf of the developer or the municipality. A written lot Inspection report must be submitted directly to the developer.

## 10. Approval Process

### Lot inspection process

The following must be submitted to the developer prior to stake out approval being granted:

- Lot inspection report - prior to start of construction the builder must inspect the lot and all services. All discrepancies or damages are to be reported in writing complete with photographs directly to the developer. *Lot inspection report (PDF) – attached.*
- A damage/security deposit or letter of credit per lot is payable to the developer prior to submission of architectural application.

### Architectural approval process

Before applying for a Development/Building Permit, the applicant shall email one home submission per email with all pertinent PDF files attached. The **lot/block/phase + area with content description**

must be identified in the subject line of each email (i.e. 4/6/2 McConachie – new submission). Incomplete subject line information will result in submission being returned without review.

One PDF attachment of the complete set of construction drawings. Drawings must be drawn to scale and include the following.

- Elevation drawing of front, rear, and two sides of the building including – sizes of openings (i.e. windows & doors).
- Elevations to be drafted reflecting correct finishing materials (stucco vs. vinyl) & finishing detail i.e. battens, louvers, shadow boards, etc.
- Plans to reflect dimension detail i.e. roof pitches, eaves, fascia, etc.
- Floor plans for all developed floors, including area each floor (i.e. square footages)
- A structural cross-section with specifications.
- A foundation plan

One PDF attachment of the plot plan, prepared by a designated mandatory land surveyor, reflecting grades, floor and garage elevations, risers.

One PDF attachment of the colour form complete with manufactures, materials & colours.

The ADC will review the submission and recommend approval, modification or rejection of the application based on the adherence of the plans to these guidelines within 14 days of submission.

Once reviewed, the ADC will email the application back to the submitter approved or indicating any changes required. After approval, the plans may not be altered without resubmission and re-review by the ADC.

Approval of any and all house plans will be at the sole and unfettered discretion of the developer. Should disputes arise, the developer shall make the final decision on the acceptability of plans.

No stake-out granted until architectural approval has been granted by the ADC.

### **Contravention of architectural objectives**

*Possible damage to:*

- Driveway aprons and asphalt.
- Boulevard landscaping and trees.
- Drainage swales and walkways.
- Light standards.
- Cathodic protection points.
- Grading & fencing



### **Final inspection process**

Upon completion of construction & landscaping, an inspection request complete with approved grading documents must be submitted to the ADC for final inspection purposes. At time of inspection the CC water valve must be exposed and marked & the street (walk, curb & gutter) must be cleaned.

### **11. Forms**

Following this page find these forms:

- A. Architectural Approval Form
- B. Final Lot Inspection Request
- C. Fencing Detail (3)
- D. WDM Lot Inspection Report (PDF)



## ARCHITECTURAL APPROVAL FORM

Lot: \_\_\_\_\_ Block: \_\_\_\_\_ Phase \_\_\_\_\_

Bungalow / Split / Bi-level / 2 Storey: \_\_\_\_\_ ft.

Civic Address: \_\_\_\_\_

Home Design Style: \_\_\_\_\_

Builder: \_\_\_\_\_

Home Plan Name: \_\_\_\_\_

Builder's Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

Builder's Representative: \_\_\_\_\_

Date Submitted: \_\_\_\_\_

FINISH	MATERIAL	MANUFACTURER	COLOUR
Roof			
Fascia			
Soffit, Gutter, Downspout			
Walls			
Corner Boards			
Shakes or Shingles			
Main Window Battens			
Secondary Battens			
Shutters			
Louver/Brackets/Keystone			
Front Door			
Front Door Trim			
Garage Door(s)			
Garage Door Trim			
Masonry			
Front Porch Column			
Front Porch Trim			
Front Porch Handrail			
Rear Deck			
Rear Handrail			
Other			

### CONDITIONS OF APPROVAL

1. The Applicant agrees to build the house according to the above information; house design and type, exterior design treatment and colours.
2. There shall be no variance or changes permitted without a written request from the Builder and approval from the Developer's representative.
3. The Applicant agrees to be bound by all building codes, bylaws, caveats or restrictive covenants registered against the title of the lot above.
4. The Applicant acknowledges that the house plan approval is provided as a service and that the Developer and their approving officers assume no responsibility for the accuracy of the information provided, or for any losses resulting from use thereof.
5. The Applicant further acknowledges that he/she is solely responsible for any action resulting from the use of this information.
6. The Applicant acknowledges and agrees to all of the above conditions and those outlined in the McConachie "Architectural Guidelines" which have precedent over any drawings or submissions by the applicant.

**Customer(s) Approval** (if required by builder): \_\_\_\_\_ Date: \_\_\_\_\_

### ARCHITECTURAL CONSULTANT'S COMMENTS AND REVISIONS

APPROVED: \_\_\_\_\_ NOT APPROVED: \_\_\_\_\_ AC: \_\_\_\_\_ DATE: \_\_\_\_\_  
 Summa Consulting Ltd. 2209 - 7th Ave. NW Calgary AB T2N 0Z9 phone/ fax: 403.283.9999 email: chume@summaconsulting.ca



## INSPECTION REQUEST

This completed form must be emailed to Summa Consulting Ltd. with a final grade certificate and City of Edmonton grading approval letter/report.

BUILDER: \_\_\_\_\_

### PROPERTY INFORMATION:

Property civic address: \_\_\_\_\_

Property legal address: Lot \_\_\_\_\_ Block: \_\_\_\_\_ Plan: \_\_\_\_\_

Subdivision: \_\_\_\_\_ Stage: \_\_\_\_\_

Inspection requested by: \_\_\_\_\_

Company: \_\_\_\_\_ Phone: \_\_\_\_\_

Address/postal code: \_\_\_\_\_

E-mail: \_\_\_\_\_

**Provided your residence passes the inspection, a copy of the inspection report will be emailed to you at the address provided & will automatically be emailed to the Builder & the Developer.**

Each re-inspection due to the previous inspection not meeting the requirements will be a \$100.00 + gst = \$105.00 per inspection)

### PLEASE CHECK OFF THE FOLLOWING TO VERIFY CONFIRMATION OF:

- \_\_\_\_\_ Front & visible side yards sodded to fence tie-back line
- \_\_\_\_\_ Required (number & size) trees in front yard (see developer guidelines to confirm requirements)
- \_\_\_\_\_ CC valve exposed & visible (flagged if in sodded area or landscape material)
- \_\_\_\_\_ Designated surveyors final grade certificate (ground elevation certificate)
- \_\_\_\_\_ Appropriate city OR county approved grading report / conformance letter / approval stamped grade certificate